

DECORATIVE CONCRETE WAREHOUSE



PATTERN STAMPED



STENCILLED

PERMACOLOUR PTY. LTD.



FLOCRETE



PATINA STAIN

PRODUCT CATALOGUE

MATERIALS

Colour Hardener

CH01 – CH26

20kg Bags

A multi-purpose dry shake mix for colouring & hardening all concrete work forms including stamped, stencil, plain coloured, kerbing etc. Available in 26 vibrant colours.



Releaser

RL & RS 00 – 18

10kg & 5kg pails

A hydrophobic powder that is broadcast over concrete before pattern stamping to release moulds and impart tu-tone colour effects. Available in 18 colours.



Flocrete

FC01 – 26

20kg BAGS

A cohesive, polymer modified cementitious single pack topping material for resurfacing existing concrete. Simply add water. Available in 26 colours.



Self-leveling Skim Coat

SKIM 10 – 13

20kg BAGS

For resurfacing degenerated or uneven concrete surfaces. Available in 4 colours.



Bonda

20L BONDA

20 LITRE PAIL

An acrylic primer for bonding Flocrete to non cementitious surfaces to boost the adhesive properties of the product.

Bondcrete

Bondcrete 5, 20 LT

A PVA bonding agent for when "capping" old concrete with new.



Hydrochloric acid

HA05, 20, 200 5, 20, 200lt

For 'acid etching' concrete surfaces as a means of cleaning & opening the pores before Flocreting or sealing.



Concrete Cleaner

CC05, CC25

5lt, 25lt

Heavy duty cleaner for Release Agent removal prior to sealing or as a general contaminant cleaner.



Masking Plastic

MP01,02, 03, 04/ 2m,1m,0.6,0.4 wide

Protect and secure walls, fences etc. from Flocrete overspray & colour hardener & release agent broadcasting.

Coving Plastic

MP07

A 50m long self adhesive masking plastic that folds out to 1220mm. Quick & easy to use.

Filament Tape


FT01 – 05 6, 9, 12, 24, 48mm

Strong woven & cross woven fibre reinforced tapes used for creating tile, random, border patterns etc. in Flocrete.

Boundary Tape

BT01

Brightly coloured tapes secure your completed works. Also in stock is a large range of general purpose paper & plastic tapes.



Abelflex

ABF01 – 05 25m ROLLS

75 & 100mm wide flexible jointing material for placement between existing structures and new concrete pours. Available in standard and adhesive back form.



SEALERS

Permaseal 2500

SEALER/250010-200 10,20,200LT

A solvent based acrylic sealer with high solids content for superior gloss & abrasion resistance for all masonry surfaces indoor & outdoor.



Permaseal 2000

SEALER/200010-200 10,20,200LT

A 20% solids all purpose economical sealer especially suited to reseal applications.

Permaseal SD

SEALERSD20-200 20,200LT

A specially formulated sealer to meet the demands of same day sealing of "green" concrete - especially stencil concrete. Moisture tolerant, acts as a curing compound & holds back efflorescence as the concrete cures.



Permaseal Flo

SEALER/FLO10-200 10,20,200LT

Quick drying sealer designed for sealing Flocrete, exposed aggregate or any abnormally porous cementitious substrate.

Colour Seal

CS0110-2820 10,20,200LT

A solvent based acrylic sealer for colouring & sealing concrete in the same application. Available in 26 colours.



Permaseal Solvent

SL05-200 5,10,20,200LT

For use with solvent based acrylic sealers to dilute for first coat penetration, spraying or cleanup of equipment used.



XYLS Plus

XYLS+10-20 10,20LT

An extremely aggressive solvent for resolution or breakdown of existing sealer coats in order to remove them.

Permaseal WB

SEALER/WATER20 20,200LT

A very hard wearing water based acrylic sealer for use in all decorative concrete applications, especially low odour indoor work. Great coverage per litre.



Permapoxy

SEALER/WBEPOX 10,20LT

A high build water based epoxy suitable for indoor applications where high traffic loads demand a tough sealer. Excellent moisture tolerance. Can also be pigmented to suit.

Anti-Graffiti

Urathane

R&H 835 5,10,20LT KITS

A non sacrificial high build anti graffiti clear coating for wall & floor applications. Can be used to overcoat existing sealer. Can also be pigmented to suit.



Anti-Slip Grit

ASB & ASC5,10 5,10KG

Broadcast between coats of sealer to produce non-slip surfaces. Available in clear & bronze colours.

Non Skid Additive

NS140,280 140,280g satchel

Mixed into any Permacolour sealer, it will remain suspended in form to reduce the slip factor.



Sealing Brooms

CTBROOM03050,02025

A complete range of brooms suitable for sealing including horse-hair and solvent resistant items.

Pump Sprayer


CP SPRAYER2179

The quickest & most economical way to apply sealers. High density poly tank holding 11.3lt with viton Equiped seals means these sprayers are chemical & solvent resistant.




PERMA-COLOUR


STENCIL PATTERN CHART




TEMPLESTONE
Brick Size 200mm x 41.5mm




V-BRICK
Brick Size 180mm x 370mm




HERITAGE STONE
Average Brick Size 280mm x 135mm



LARGE COBBLE
Brick Sizes 220mm x 137, 140mm x 137mm



BUSHROCK
Av. Rock Size 200mm x 200mm



SYDNEY STONE
Av. Brick Size 195mm x 137mm




300 TILE
Actual Tile Size 268mm x 268mm




250 PAVER
Brick Size 264mm x 145mm



EUROPEAN FAN
Av. Brick Size 100mm x 110mm



ASHLAR SLATE
Largest Tile Size 285mm x 315mm




CLASSIC HERRINGBONE
Brick Size 91mm x 196mm




10" DIAMOND TILE
Tile Size 250mm x 250mm



HERITAGE WEAWE
Brick Size 89mm x 191mm




CONVICT BRICK
Av. Stone Size 200mm x 160mm



STAR COMPASS 0.9m, 1.6m




BRICK ROSETTE
900mm, 1.6m, 2.2m Diameter



BASKETWEAVE
Brick Size 92mm x 197mm



400 TILE



COBBLE ROSETTE
Sizes 900mm & 1.6m



DISABLED LOGO



BRICK HEADER
Brick Size 91mm x 196mm



COBBLE HEADER
Brick Size 113mm x 196mm



TILE HEADER
Tile Size 250mm x 250mm



EDGE BRICK HEADER



CONVICT HEADER
Av. Rock Size 250mm

TOOLS & EQUIPMENT

A FULL RANGE OF HIGH QUALITY TOOLS FOR THE CONCRETING PROFESSIONAL DESIGNED TO REDUCE JOB TIME AND GAIN MORE CONTROL OVER FINISHING TECHNIQUES.

Hopper Guns

ASG12327, M-791

Compressed air driven texture hopper guns with variable spray pattern & air pressure, used for Flocrete application.



Stencil Roller

CTYOKE, ROLLER

Stencil roller yoke & frames used to lightly imbed stencil into the wet concrete surface.



Ornamental Trowel

MA-341/13

A small touch-up tool for removing double lines in the printing process once mats have been lifted & moved.



Border Tools

TLE 55; TLDR 1 - 3

Border tools in various sizes that edge & groove a "picture frame" into your decorative concrete work.



Hand Edgers

TLE26 - 45H

Different sizes & radiuses for edging concrete - including standup walking edges, tight radius corner edgers etc.



Hand Trowels

CT TROWEL / 921-978C

Varying brands of all styles & sizes of hand trowels to complement decorative concrete.



Mag Floats

16, 20" CTMAG

High quality magnesium floats in two sizes for general concrete useage.



Foam Float

CTSPONGE FLOAT

Create swirl patterns etc. As an alternative to broom finishing stencil concrete.



Bullfloats

BULL900mm/tlm01-04

Both light & heavy weighted bullfloats for levelling after screeding the concrete - also useful for working colour hardener into the surface.



Fresno Trowels

TLF10-12U

Quality stainless steel construction used for trowelling in colour hardener or surface finishing of the concrete.



Grooving tools

TLG06-18

Dummy jointing tools, either hand held or attachable to bullfloats & fresnos - for putting construction joints in concrete works.



Walking Trowels

TLT15-22B

For trowelling in colour hardener whilst standing.

Extension Handles

EXS/TH01

Pushbutton handles or extendable handles to suit bullfloats, fresnos & walking trowels so as to reach those hard to get at areas.



Screeds

SCR12-60

For screeding concrete to desired levels-lightweight alloy construction in sizes 1.2m to 6m.



Paving Brushes

TLB 36 F - X

For that quality broom finish to Plain & decorative concrete, Available in soft to hard bristles & an all angle head.



Cracker Joint

CRACK

Plain & colour capped 3m lengths for inducing controlled construction joints.

PATTERN STAMP MOULDS

PERMACOLOUR HAS AN EXTENSVE RANGE OF PATTERN STAMPING MOULDS INCLUDING HARD AND FLEXIBLE "FLOPPY" MATS, HANDMATS, FEATURE CIRCLES, BORDERS, TEXTURE SKINS, TEXTURE ROLLERS AND MORE FOR IMPARTING VARIOUS TEXTURES AND PATTERNS INTO CONCRETE. CUSTOM MATS MADE TO ORDER..


Some of the more popular patterns are:

Large Ashlar

FM3150

575mm x 575mm

Light slate texture in an ashlar pattern.




Small Ashlar

FM 3125

600mm x 600mm

A heavier slate texture in an ashlar pattern.



Random Stone

FM 700

Diameter 760mm

Heavily textured random field stones.



European Fan

FM 650

1160mm x 660mm

Cobblestones in a traditional fan pattern.




California Weave

FM 3500

600mm x 600mm

Popular slate design.



Riverslate

FM 8001

600mm x 600mm

Rugged slate texture.



New England Basketweave

FM 3600 900mm x 600mm

Handtooled slate in a basketweave pattern.



Flagstone

FM 1000 750mm X 500mm

Traditional Flagstone texture and pattern sizing.



Walkway Slate

FM 3400

900mm x 450mm

Popular flat slate pattern.



London Cobble

FM 540

760mm x 430mm

Lightly textured small cobblestones.




Large Cobble

FM 1003

760 mm x 720 mm

Larger rough cut cobblestones.



Serpentine

FM 1300

1050mm x 595mm

A 'twist' on the classic cobble design.




Granite Sets

FM 200, FM 250

600mm x 600mm

4' & 6' tile size granite stones.



Yucatan Tile

FM 1100

600mm x 600mm

Large tile with a stylish rugged texture.



Mexican Tile

FM1004

600mm x 600mm

12" textured tile pattern.




Herringbone

FM8000, FM1700

650mm x 900mm,

800mm x 1000mm

Small & large brick sizes in a classic herringbone pattern.



Runningbond

FM5100

400mm x 900mm

Used brick texture in the traditional runningbond style.



Weathered Planking



FM1400 Series 300x600,300x900,300x 1200,300x1800mm

Wood grain texture in varying mat sizes.

Slate Mat

FM 10001

1000mm x 1000mm

Classic slate texture in an extra large tile size.






HANDMATS, BORDERS, ETC

Slate & Stone Handmats

FM2001, FM200
300mm x 300mm

Slate and stone textured handmats.
– allows texture to be placed in tight spaces standard mats won't reach.



Feature Circle

FM1600, FM1650

5' AND 9' DIAMETER

Inner and outer circle mats- a great feature in a cut stone texture.

Cut Stone Border - Corner

FM 1225

200mm x 850mm

FM 1200

200mm x 200mm

100mm x 200mm cut stone brick size in a soldier course pattern and a tool to continue the border around corners.



Brick Border - Corner

FM5300, FM1201

200mm x 850mm

- FM 5400, FM5450

- 200mm x 200mm

100mm x 200mm used brick and new brick textures in a soldier course pattern and a tool for corners.



Slate Border

FM 3300

300mm x 1210mm

The classic slate tile border in 300mm x 300mm size.



London Cobble Border

FM 540B

750mm x 150mm

Lightly textured small cobblestones to match the London Cobble mats. Also available in single piece cobblestones in order to negotiate around corners.



Texture Skins

Slate

FM9900FE

1200mm x 1200mm


Large seamless texture skins with feathered edges to texture concrete without imprinting grout lines.



Stone

FM9200FE


1200mm x 1200mm



Texture Roller

FM 3000

900mm wide roller for imprinting continuous stone texture over plain coloured or stencilled concrete.



Name Stamp

NS 01, 02

Advertise your business name and phone numbers in completed concrete works.

Releaser Brush

SJ829

165mm x 50mm

Used for broadcasting Release Agent evenly and economically without 'splash' marks.



Tamper & Handle

T&H

Used to 'hit' mats into the concrete making sure that an even pressure has been applied to the moulds and a good imprint has been achieved.

NEW PRODUCTS

Patina Acid Stain

PSA01 – 08

5lt, 20lt

A penetrating liquid acidic stain that chemically reacts with cured cementitious substrates to produce weather resistant mottled, variegated and/or translucent colour patterns, resulting in a striking 'aged' look.



Concrete Dyes

CD 01 – 10

5lt, 20lt.

A water-based concrete dye used in conjunction with Patina Stains to achieve a wider colour range and a three dimensional look.

Permastone Coatings

Permastone B – W

20lt pail

Stunning natural granite, quartz and epidote stone coatings in 17 different colours.

Can be applied by hopper gun spray and by plastic trowel

PERMACOLOUR

PTY.
LTD.

Permacolour Pty. Ltd. are one of Australia's leading manufacturers and distributors/exporters of all products and accessories relating to the decorative concrete industry; having established this position over a 12 year period through contracting, manufacturing, sales and extensive ongoing research and development, with a commitment to customer service and technical support for all our products.

The features and benefits of Permacolour products are wide ranging and varied, keeping abreast with the decorative concrete industry – one of the most rapidly developing areas of building technology.

Whether it be a home owner or concreter wanting to use Permacolour products, through to servicing architects, engineers, construction companies or future distributors with data and information, Permacolour will more than meet your expectations.

The processes involved using the decorative concrete materials that Permacolour manufacture include pattern stamped concrete and stencilled concrete for new or 'wet' concrete works; and Flocrete decorative spray on topping and Patina Stain for enhancing or renovating existing concrete structures and surfaces.

All processes are suitable for interior/exterior, residential/commercial, patios, driveways, roadways, pool surrounds, pathways – actually anywhere there is a need for decorative concrete with a more durable and low maintenance surface.

Permacolours' dedication to this ever expanding industry will ensure our existing and future distributors/users will receive the support and exposure in the marketplace they require.

All Permacolour products and processes are easily applied by existing



tradespeople, but Permacolour also offer a training and consultancy program for those embarking on a new road into decorative concrete; as we wish to see our products used correctly, our clients happy with the results and our name continually held in high regard. Permacolour manufacture (approximately 3,500 tonne/annum), promote, train & consult and distribute the full range of decorative concrete products to markets all round the

world which include: NEW ZEALAND, NEW CALEDONIA, PAPUA NEW GUINEA, MALAYSIA, SINGAPORE, THE PHILIPPINES, KOREA, CHINA, JAPAN, BRUNEI, SAUDI ARABIA, KUWAIT, SOUTH AFRICA, AND CANADA.

So contact us, experience the high standard and respect Permacolour products command in today's international marketplace and receive the added exposure due to ongoing communication of new and emerging products and processes in the exciting and ever expanding world of decorative concrete.

PERMACOLOUR PTY. LTD.

46 MOSS ST. SLACKS CREEK QUEENSLAND 4127 AUSTRALIA

PH:(617) 3290 2064 FAX:(617) 3290 2065

EMAIL: mail@permacolour.com.au WEBSITE: www.permacolour.com.au

